

MATERIAL SAFETY DATASHEET

Flexi Coat - MAK

Issue Date: 01/11/2013

Review Date: 01/11/2018

ADDRESS Unit 8 / 15-23 Kumulla Rd, Caringbah NSW 2229 AUSTRALIA
PHONE 1300 502 677
FAX 1300 602 677
EMAIL info@bossfire.com.au
WEB www.bossfire.com.au

1. SUBSTANCE IDENTIFICATION

| | |
|---------------------------------|--|
| Product Name | Flexi Coat - MAK |
| Product Code | FCMAK-5, FCMAK-10, FCMAK-20 |
| Use of Substance/Mixture | PC1: Adhesives, sealants |
| Company Name | Boss Fire & Safety Unit 8 / 15-23 Kumulla Rd Caringbah NSW 2229 AUSTRALIA Ph 1300 502 677 +612 9531-8591 |

2. CLASSIFICATION OF THE SUBSTANCE/MIXTURE

| | |
|----------------------------------|---|
| Classification under CHIP | This product has no classification under CHIP |
| Classification under CLP | This product has no class |
| Label Elements | This product has no label elements |
| Other Hazards | This product is not identified as a PBT substance |

3. FIRST AID MEASURES (SYMPTOMS)

| | |
|---------------------|---|
| Skin Contact | There may be mild irritation at the site of contact |
| Eye Contact | There may be irritation and redness |
| Ingestion | There may be irritation of the throat |
| Inhalation | No symptoms |

4. FIRST AID MEASURES (ACTION)

| | |
|------------------------------------|---|
| Skin Contact | Wash immediately with plenty of soap and water |
| Eye Contact | Bathe the eye with running water for 15 minutes |
| Ingestion | Wash out mouth with water |
| Inhalation | Consult a doctor |
| Immediate/Special Treatment | Not Applicable |

5. FIRE FIGHTING MEASURES

| | |
|---------------------------------|--|
| Extinguishing Media | Suitable extinguishing media for the surrounding fire should be used Use water spray to cool containers |
| Exposure Hazards | In combustion emits toxic fumes |
| Advice for Fire-fighters | Wear self-contained breathing apparatus Wear protective clothing to prevent contact with skin and eyes |

6. ACCIDENTAL RELEASE MEASURES

| | |
|-----------------------------------|--|
| Personal Precautions | Refer to section 8 for personal protection details Turn leaking containers leak-side up to prevent the escape of liquid |
| Environmental Precautions | Do not discharge into drains or rivers Contain the spillage using Bunding |
| Clean-Up Procedures | Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method |
| Reference to Other Section | Refer to section 8 of this MSDS |

7. HANDLING & STORAGE

| | |
|--------------------------------------|--|
| Precautions for Safe Handling | Refer to section 8 of this MSDS |
| Storage Conditions | Store in cool, well-ventilated area. Keep container tightly closed |
| Specific End Use(s) | No data available |

8. EXPOSURE CONTROL & PERSONAL PROTECTION

| | |
|----------------------------|---|
| Exposure Control | None available |
| Respiratory Control | Respiratory protection not required |
| Hand Protection | Protective gloves |
| Eye Protection | Safety glasses with side shields. Ensure eye bath is to hand. |
| Skin Protection | Protective clothing |

9. CONTROL PARAMETERS

| | |
|----------------------------------|-------------------|
| Workplace Exposure Limits | No data available |
| DNEL / PNEC | No data available |

10. PHYSICAL & CHEMICAL PROPERTIES

| | |
|--------------------------|-------------------|
| State | Liquid |
| Colour | Various |
| Relative Density | 1.25 |
| pH | Approximately 7 |
| Other Information | No data available |

11. STABILITY & REACTIVITY

| | |
|--------------------------------------|--|
| Reactivity | Stable under recommended transport or storage conditions |
| Chemical Stability | Stable under normal conditions |
| Hazardous Reactions | Hazardous reactions will occur under normal transport or storage conditions Decomposition may occur on exposure to conditions or materials listed below |
| Conditions to Avoid | Heat |
| Materials to Avoid | Strong oxidising agents. Strong acids |
| Hazard Decomposition Products | In combustion emits toxic fumes |

12. TOXICOLOGICAL INFORMATION

| | |
|------------------------|---|
| Toxicity Values | No data available |
| Skin Contact | There may be mild irritation at the site of contact |
| Eye Contact | There may be irritation and redness |
| Ingestion | There may be irritation of the throat |
| Inhalation | No symptoms |

13. ECOLOGICAL INFORMATION

| | |
|--------------------------------------|---|
| Ecotoxicity Values | No data available |
| Persistence and Degradability | Biodegradable |
| Bioaccumulative Potential | No bioaccumulation potential |
| Mobility | Readily absorbed into soil |
| PBT Identification | This product is not identified as a PBT substance |
| Other Adverse Effects | Negligible ecotoxicity |

14. DISPOSAL CONSIDERATIONS

| | |
|--------------------------------|--|
| Waste Treatment Methods | The user's attention is drawn to the possible existence of regional or national regulations regarding disposal |
|--------------------------------|--|

15. TRANSPORT INFORMATION

| | |
|------------------------|--|
| Transport Class | This product does not require a classification for transport |
|------------------------|--|

16. OTHER INFORMATION

| | |
|-------------------------|--|
| Legal Disclaimer | The above information is believed to be correct but does not purport to be all inclusive and shall be used only as guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. |
|-------------------------|--|

LIMITATION

BOSS Fire & Safety Pty Ltd has provided the above information in good faith and to the best of its knowledge. Some of this information is based upon the MSDS and technical information provided by other parties or manufacturers. We believe this information was correct at the time of publication, should any data come to BOSS Fire & Safety's attention relating to the safety or handling of the product described, BOSS Fire & Safety will amend this report.

BOSS FIRE & SAFETY PTY LTD MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.

FURTHER INFORMATION

To learn more about Flexi Coat-MAK, see the Technical Data Sheet available at www.bossfire.com.au.

Further information can be provided by contacting BOSS Fire & Safety on:

Phone 1300 502 677
Fax 1300 602 677
Direct +612 9531 8591
Email info@bossfire.com.au
Web www.bossfire.com.au